

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCI

(51) International Patent Classification <sup>6</sup> : C08F 4/622, 10/00	A1	(11) International Publication Number: WO 95/04761			
		(43) International Publication Date: 16 February 1995 (16.02.95)			
(21) International Application Number: PCT/US: (22) International Filing Date: 3 August 1994 (		(AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC,			
(30) Priority Data: 08/103,505 6 August 1993 (06.08.93)  (71) Applicant: EXXON CHEMICAL PATENTS INC. 5200 Bayway Drive, Baytown, TX 77520 (US).	2 <b>0\2U]</b>	Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of			
72) Inventors: JEJELOWO, Moses, Olukayode; 34 Springs, Kingwood, TX 77345 (US). BAMB Robert, Lee; 15903 Sea Palms Drive, Crosby, T (US).	ERGE	,			
(74) Agents: SHER, Jaimes et al.; Exxon Chemical Comp. Box 2149, Baytown, TX 77522-2149 (US).	any, P.				

#### (54) Title: POLYMERIZATION CATALYSTS, THEIR PRODUCTION AND USE

#### (57) Abstract

This invention is directed toward the polymerization of olefins, optionally with a comonomer in the presence of metallocene catalyst to produce a polymer product having a controlled molecular weight distribution, ranging from narrow to broad, a high molecular weight and a narrow composition distribution. The catalyst of the invention provides for linear polyethylenes and ethylene-\(\alpha\)-olefin copolymers with substantially higher melt strength than linear polyethylenes produced with a conventional Ziegler-Natta catalyst or a typical metallocene catalyst. The invention provides a catalyst for polymerizing olefins comprising a first component comprising at least one transition metal of Group IV, V or VI and bonded to at least two cyclopentadicnyl containing rings, said rings each having at least two substituents bonded to each of said rings in the same position; a second component comprising said transition metal and said cyclopentadicnyl containing rings, said rings each having at least two substituents bonded to each of said rings in the same or different position than said substituents of said first component; said substituents of said substituents of said components are bonded to said rings in different positions; and a third component comprising said transition metal bonded to said components are bonded to said rings where one of said rings is substituted identically as said first component and another of said rings is substituted identically as said second component. The invention further provides for catalyst systems comprising the catalyst component above in combination with a cocatalyst and/or activator for the catalyst. The cocatalyst or activator can be either alumoxane or an ionic activator.

5

10

15

20

25

30

35

## **CLAIMS**

## We Claim:

- 1. A catalyst system for the polymerization of olefins comprising:
  - a) a catalyst comprising
- (i) a first component comprising at least one transition metal of Group IV, V or VI and bonded thereto at least two cyclopentadienyl containing rings, said rings each having at least two substituents bonded to each of said rings in the same position;
- (ii) a second component comprising said transition metal and said cyclopentadienyl containing rings, said rings each having at least two substituents bonded to each of said rings in the same or different position than said substituents of said first component; said substituents of the said first and second components can be the same or different, with the provision that when the substituents of said first and second components are the same, said substituents of said components are bonded to said rings in different positions; and
- (iii) a third component comprising said transition metal bonded to said cyclopentadienyl containing rings where one of said rings is substituted identically as said first component and another of said rings is substituted identically as said second component; and
  - b) a cocatalyst or activator.
- 2. The catalyst system of claim 1 wherein said cocatalyst is alumoxane or ionic activator.

3. The catalyst system of any preceding claim wherein said components are represented by the following formula:

 $B_b(S_sR)_rMD_dA_a$ 

wherein R is a cyclopentadienyl containing ring, M is a group IV, V or VI transition metal, S is a hydrocarbyl, alkoxy, silyl, siloxy group or a halogen or two carbon atoms joined together to form a part of a  $C_4$  to  $C_6$  ring; A is a halogen, D is a hydrocarbyl radical, a arylalkyl radical, an alkylidene radical or a hydrocarboxy radical; and B is a radical bridging two R rings, where B contains a carbon, a germanium, a silicon, a phosphorous or a nitrogen atom or combination thereof; r is 2 to 3, b is 0 to 5; s is 2 to 5; d is 0 to 2; a is 0 to 2; and r + d + a is equal to the oxidation state of M.

- 4. The catalyst system of any preceding claim wherein said catalyst is supported.
- 5 5. The catalyst system of any preceding claim wherein said rings are cyclopentadienyl rings.
  - 6. The catalyst system of any preceding claim wherein said substituents are hydrocarbyl substituents having from 1 to 20 carbon atoms.

10

- 7. The catalyst system of any preceding claim wherein each component is present in an amount greater than 1 mole percent, preferably greater than 5 mole percent.
- 15 8. A process for polymerizing olefins alone or in combination with one or more other olefins, said process comprising polymerizing in the presence of a catalyst system of any one of the preceding claims.
  - 9. A polymer composition produced by the process of claim 8.

20

30

35

- 10. A polymer composition comprising a linear olefin polymer having a melt strength greater than 6 cN, preferably 7 cN and a CDBI greater than 50%.
- 11. A olefin polymer composition comprising an ethylene and at least one C<sub>3</sub>-C<sub>20</sub> alpha-olefin polymer having a CDBI greater than 50% and a melt strength greater than 2+ 10/e<sup>MI</sup> where MI is the melt index of the polymer and e is a constant.
  - 12. A linear olefin polymer composition comprising a polymer having a melt strength greater than 2+ 15/e<sup>MI</sup> where MI is the melt index of the polymer composition and e is a constant.
    - 13. The composition of any of the preceding claims 9, 10, 11, and 12 wherein the polymer has a MI in the range of 0.01 dg/min to 100 dg/min, preferably 0.5 dg/min to 10 dg/min.

20

- 14. The composition of any of the preceding claims 9, 10, 11, 12 and 13 wherein the polymer has a density greater than 0.900 g/cc, preferably greater than 0.910 g/cc to 0.945 g/cc.
- 5 15. The composition of any of the preceding claims 9, 10, 11, 12, 13 and 14 wherein the polymer has  $I_{21}/I_2$  ratio is greater than 14, preferably greater than 18.
- 16. The composition of any of the preceding claims 9, 10, 11, 12, 13, 14 and 15 wherein the composition has a Mw/Mn greater than 2.2, preferably greater than 4, more preferably greater than 3.5.
  - 17. A polymeric film produced from the composition of any one of the preceding claims 9, 10, 11, 12, 13, 14, 15 and 16.
- 15 18. The polymeric film of claim 17 wherein said polymer has a density in the range of 0.900 g/cm<sup>3</sup> to 0.940 g/cm<sup>3</sup>, a MWD of greater than 2.6, a CDBI greater than 50%, I<sub>21</sub>/I<sub>2</sub> greater than 20.
  - 19. The polymer film of claim 18 wherein said polymeric film is a blown film.
  - 20. A polymeric bag comprising the polymeric film of claims 18 and 19.

• 1

		PC	1/03 94/08909	
A. CLASS IPC 6	ification of subject matter C08F4/622 C08F10/00			
Aggadia	to International Patent Classification (IPC) or to both national class	iliestion and IDC		
	S SEARCHED	meador and IPC		
	locumentation searched (classification system followed by classifica COSF	tion symbols)		
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in	n the fields searched	
Electronic d	lata base consulted during the international search (name of data ba	se and, where practical, search	terms used)	
C. DOCUM	IENTS CONSIDERED TO BE RELEVANT			
Category *	Citation of document, with indication, where appropriate, of the r	Relevant to claim No.		
X	EP,A,O 283 739 (CHISSO CORP.) 28 September 1988		1-20	
;	see abstract; claims; examples see page 7, line 4 - page 8, line 7			
A	WO,A,93 09148 (EXXON CHEMICAL PATENTS INC.) 13 May 1993 see abstract; claims; examples		1-20	
A	EP,A,O 310 734 (FINA) 12 April 1989 see abstract; claims		1-20	
	·	•		
Further documents are listed in the continuation of box C.  Patent family members are listed in annex.				
*Special categories of cited documents:  "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention				
"E" earlier document but published on or after the international filling date  "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or				
O' document referring to an oral disclosure, use, exhibition or other means other means only document published prior to the international filing date but later than the priority date claimed document with one or ments, such combination being obvious in the art.		being obvious to a person skilled		
	actual completion of the international search	Date of mailing of the into	emational search report	
11 November 1994		2 3. 12. 94		
Name and I	nailing address of the ISA  European Patent Office, P.B. 5818 Patentiaan 2  NI - 2280 HV Bitaniik	Authorized officer	·	
NL - 2280 HV Rijswijk Td. (+31-70) 340-2040, Tz. 31 651 epo nl, Faz: (+31-70) 340-3016		Mettler, R-M		